

# Material Safety Data Sheet

January 4, 2010

## Product Identification NISSEN LOW CHLORIDE FELTIP PAINT MARKER – WHITE

J.P. Nissen Co.  
2544 Fairhill Avenue  
P.O. Box 339  
Glenside, PA 19038

Phone: 215-886-2025  
Fax: 215-886-0707  
Emergency: 1-800-424-9300

HMIS Ratings-Health 2 Flammability 3 Reactivity 0  
NFPA Ratings- Health 2 Flammability 3 Reactivity 0

**Hazardous ingredients** – The paint is contained in a valve action reservoir and will not leak under normal conditions.

<u>Ingredients</u>	<u>CAS#</u>	<u>%</u>	<u>Exposure Limits</u>
Mineral Spirits	64742-88-7	30-35	100 ppm/8 hrs pel
VM& P Naptha	64742-89-8	15-20	300 ppm/8 hrs pel
Xylol (Xylene)	1330-20-7	1-5	100 ppm/8 hrs pel
Titanium Dioxide	13463-67-7	33	5 mg/cu.m Respirable dust
Aliphatic Hydrocarbon	64742-47-8	1-5	100 ppm/8hrs pel

### Physical Data

**Boiling point:** 246-404 F      **Vapor density:** Heavier than air.

**Volatile %:** 66.7% by volume      **Specific gravity:** Less than 1.

**Evaporation rate:** Slower than Ethyl Ether      **Vapor Pressure:** 6.2 mm hg @ 20 deg. C

**Appearance:** White viscous liquid with an aromatic odor.

**Volatile Organic Compound** data not required because product only produced in quantities of less than 1 liter

### Fire and Explosion Data

**Flammability Class:** IC      **Flashpoint:** 75 deg..F      **LEL:**1%      **UEL** 7%

**Extinguishing Media:** Foam, Carbon dioxide, or any Class B extinguishing agent. Water may be unsuitable as an extinguishing medium, but helpful in keeping adjacent containers cool.

### Health Hazard Data

**Listed as possible carcinogen:** NTP – No IARC – OSHA – No

**Symptoms of over exposure:** Headache, Dizziness, Nausea, Coughing, Eye, Throat and Skin Irritation.

**Effects of overexposure:** Slight to severe irritation to eyes and mucous membranes. Dermatitis. Affects central nervous system.

**Emergency first aid:** Inhalation; seek fresh air. Give artificial respiration if not breathing.

Skin contact; Wash with soap and water. Ingestion; Call Physician. Do not induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration of liquid into lungs

### Reactivity Data

**Stability:** Stable,      **hazardous polymerization:** Will not occur.

**Conditions to avoid:** Heat, open flames and sparks.

**Incompatibility:** Do not expose to strong oxidizers.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide.

### Environmental Protection Procedures

Remove all sources of ignition, ventilate area, and use absorbent material to clean spills.

Disposal method: Dispose of waste in accordance with all local, state and federal regulations.

### Control Measures

**Respiratory protection:** None required under normal use.

**Ventilation:** Normal-working conditions.

**Protective Equipment:** Safety glasses and gloves. No special clothing required under normal conditions of use.

### Transportation

Shipping Class ORM-D

UN Number 1263

Package Group III

### Toxic Substances Control Act TSCA States:

All components of this product are listed in the EPA's Inventory of Chemical Substances as required under the Toxic Substances Control Act (TSCA)